SPECIFICATIONS SUBJECT TO CHANGE - PLEASE CONFIRM BEFORE PLACING ORDER

New Lamping Codes:
04: LED (Dry location)
02: Wet Loc - LED (Wet Location)

Dimmable Notes:
[1] Dimmable with 0 - 10V dimming system
[2] Dimmable with standard phase dimming system

ULTRALIGHTS lighting with the human element LED

	Dry Rated Integrated LED						Wet Rated Integrated LED					
Model	Specs	Color Temp	CRI	Lumens	Average Rated Life (L70)	Dimm	Specs	Color Temp	CRI	Lumens	Average Rated Life (L70)	Dimm
0246	04: LED - 30W	3000K	>80	3950	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
0475	04: LED - 8W	3000K	>80	1060	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
0476	N/A	N/A	N/A	N/A	N/A	N/A	02: Wet Loc - LED - 13W	3000K	75	940	60,000 Hours	Yes[2]
0479	N/A	N/A	N/A	N/A	N/A	N/A	02: Wet Loc - LED - 13W	3000K	75	940	60,000 Hours	Yes[2]
0479 Post	N/A	N/A	N/A	N/A	N/A	N/A	02: Wet Loc - LED - 26W	3000K	75	1880	60,000 Hours	Yes[2]
0480-18	04: LED - 12W	3000K	>80	1580	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
0480-31	04: LED - 30W	3000K	>80	3950	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
0480-39	04: LED - 30W	3000K	>80	3950	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
0482-18	04: LED - 12W	3000K	>80	1580	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
0482-31	04: LED - 30W	3000K	>80	3950	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
0482-39	04: LED - 30W	3000K	>80	3950	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
0483	04: LED - 12W	3000K	>80	1580	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
0484	04: LED - 48W	3000K	>80	6320	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
0485	04: LED - 8W	3000K	>80	1060	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
0486	N/A	N/A	N/A	N/A	N/A	N/A	02: Wet Loc - LED - 13W	3000K	75	940	60,000 Hours	Yes[2]
0489	N/A	N/A	N/A	N/A	N/A	N/A	02: Wet Loc - LED - 13W	3000K	75	940	60,000 Hours	Yes[2]
0489 Post	N/A	N/A	N/A	N/A	N/A	N/A	02: Wet Loc - LED - 26W	3000K	75	1880	60,000 Hours	Yes[2]
0490-18	04: LED - 12W	3000K	>80	1580	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
0490-31	04: LED - 30W	3000K	>80	3950	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
0490-39	04: LED - 30W	3000K	>80	3950	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
0492-18	04: LED - 12W	3000K	>80	1580	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
0492-31	04: LED - 30W	3000K	>80	3950	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
0492-39	04: LED - 30W	3000K	>80	3950	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
0493	04: LED - 12W	3000K	>80	1580	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
0494	04: LED - 48W	3000K	>80	6320	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
0695	N/A	N/A	N/A	N/A	N/A	N/A	02: Wet Loc - LED - 11.5W	3000K	72	729	60,000 Hours	Yes[2]
0696	N/A	N/A	N/A	N/A	N/A	N/A	02: Wet Loc - LED - 11.5W	3000K	72	729	60,000 Hours	Yes[2]
Frame C	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Frame N	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Frame N5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
0698	N/A	N/A	N/A	N/A	N/A	N/A	02: Wet Loc - LED - 11.5W	3000K	72	729	60,000 Hours	Yes[2]
0699	N/A	N/A	N/A	N/A	N/A	N/A	02: Wet Loc - LED - 8W	3000K	65	499	60,000 Hours	Yes[2]
06100	04: LED - 11.5W	3000K	72	729	60,000 Hours	Yes[2]	N/A	N/A	N/A	N/A	N/A	N/A
06101	02: Wet Loc - LED - 8W	3000K	65	499	60,000 Hours	Yes[2]	N/A	N/A	N/A	N/A	N/A	N/A
06103	N/A	N/A	N/A	N/A	N/A	N/A	02: Wet Loc - LED - 11.5W	3000K	72	729	60,000 Hours	Yes[2]
06104-18	04: LED - 12W	3000K	>80	1580	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
06104-24	04: LED - 30W	3000K	>80	3950	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
06104-36	04: LED - 48W	3000K	>80	6320	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
07113	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
07115	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
07116	N/A	N/A	N/A	N/A	N/A	N/A	02: Wet Loc - LED - 8W	3000K	65	499	60,000 Hours	Yes[2]
07119	04: LED - 8W	3000K	65	499	60,000 Hours	Yes[2]	N/A	N/A	N/A	N/A	N/A	N/A
07120	N/A	N/A	N/A	N/A	N/A	N/A	02: Wet Loc - LED - 8W	3000K	65	499	60,000 Hours	Yes[2]
07123	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

SPECIFICATIONS SUBJECT TO CHANGE - PLEASE CONFIRM BEFORE PLACING ORDER

New Lamping Codes:
04: LED (Dry location)
02: Wet Loc - LED (Wet Location)

Dimmable Notes:
[1] Dimmable with 0 - 10V dimming system
[2] Dimmable with standard phase dimming system

ULTRALIGHTS lighting with the human element

LED

	Dry Rated Integrated LED						Wet Rated Integrated LED					
Model	Specs	Color Temp	CRI	Lumens	Average Rated Life (L70)	Dimm	Specs	Color Temp	CRI	Lumens	Average Rated Life (L70)	Dimm
07132	04: LED - 6W	3000K	>80	790	50,000 Hours	Yes[1]	02: Wet Loc - LED - 8W	3000K	65	499	60,000 Hours	Yes[2]
07132 NP	04: LED - 6W	3000K	>80	790	50,000 Hours	Yes[1]	02: Wet Loc - LED - 8W	3000K	65	499	60,000 Hours	Yes[2]
07134	04: LED - 6W	3000K	>80	790	50,000 Hours	Yes[1]	02: Wet Loc - LED - 8W	3000K	65	499	60,000 Hours	Yes[2]
07134 NP	04: LED - 6W	3000K	>80	790	50,000 Hours	Yes[1]	02: Wet Loc - LED - 8W	3000K	65	499	60,000 Hours	Yes[2]
07138	04: LED - 8W	3000K	>80	1060	50,000 Hours	Yes[1]	02: Wet Loc - LED - 13W	3000K	75	940	60,000 Hours	Yes[2]
07138 NP	04: LED - 8W	3000K	>80	1060	50,000 Hours	Yes[1]	02: Wet Loc - LED - 13W	3000K	75	940	60,000 Hours	Yes[2]
07144	04: LED - 17W	3000K	>80	2240	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
07144 NP	04: LED - 17W	3000K	>80	2240	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
07146	04: LED - 17W	3000K	>80	2240	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
07146 NP	04: LED - 17W	3000K	>80	2240	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
07150	04: LED - 17W	3000K	>80	2240	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
07150 NP	04: LED - 17W	3000K	>80	2240	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
07152	04: LED - 17W	3000K	>80	2240	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
07152 NP	04: LED - 17W	3000K	>80	2240	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
08154	04: LED - 6W	3000K	>80	790	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
08155	04: LED - 6W	3000K	>80	790	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
08158	04: LED - 6W	3000K	>80	790	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
08159	04: LED - 6W	3000K	>80	790	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
08164	N/A	N/A	N/A	N/A	N/A	N/A	02: Wet Loc - LED - 13W	3000K	75	940	60,000 Hours	Yes[2]
08165	N/A	N/A	N/A	N/A	N/A	N/A	02: Wet Loc - LED - 13W	3000K	75	940	60,000 Hours	Yes[2]
08167	04: LED - 8W	3000K	>80	1060	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
08168	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
08170	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
09172	04: LED - 8W	3000K	>80	1060	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
09173	04: LED - 8W	3000K	>80	1060	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
09175	04: LED - 34W	3000K	>80	4480	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
09176	04: LED - 16W	3000K	>80	2120	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
09177	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
09178	04: LED - 34W	3000K	>80	4480	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
09179	04: LED - 34W	3000K	>80	4480	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
2001	04: LED - 6W	3000K	>80	790	50,000 Hours	Yes[1]	02: Wet Loc - LED - 11.5W	3000K	72	729	60,000 Hours	Yes[2]
2003	04: LED - 6W	3000K	>80	790	50,000 Hours	Yes[1]	02: Wet Loc - LED - 11.5W	3000K	72	729	60,000 Hours	Yes[2]
2004	04: LED - 8W	3000K	>80	1060	50,000 Hours	Yes[1]	02: Wet Loc - LED - 13W	3000K	75	940	60,000 Hours	Yes[2]
2005	04: LED - 8W	3000K	>80	1060	50,000 Hours	Yes[1]	02: Wet Loc - LED - 13W	3000K	75	940	60,000 Hours	Yes[2]
2016	04: LED - 6W	3000K	>80	790	50,000 Hours	Yes[1]	02: Wet Loc - LED - 11.5W	3000K	72	729	60,000 Hours	Yes[2]
2018	04: LED - 6W	3000K	>80	790	50,000 Hours	Yes[1]	02: Wet Loc - LED - 11.5W	3000K	72	729	60,000 Hours	Yes[2]
2019	04: LED - 8W	3000K	>80	1060	50,000 Hours	Yes[1]	02: Wet Loc - LED - 13W	3000K	75	940	60,000 Hours	Yes[2]
2020	04: LED - 8W	3000K	>80	1060	50,000 Hours	Yes[1]	02: Wet Loc - LED - 13W	3000K	75	940	60,000 Hours	Yes[2]
2036	04: LED - 6W	3000K	>80	790	50,000 Hours	Yes[1]	02: Wet Loc - LED - 11.5W	3000K	72	729	60,000 Hours	Yes[2]
2038	04: LED - 6W	3000K	>80	790	50,000 Hours	Yes[1]	02: Wet Loc - LED - 11.5W	3000K	72	729	60,000 Hours	Yes[2]
2039	04: LED - 8W	3000K	>80	1060	50,000 Hours	Yes[1]	02: Wet Loc - LED - 13W	3000K	75	940	60,000 Hours	Yes[2]
2040	04: LED - 8W	3000K	>80	1060	50,000 Hours	Yes[1]	02: Wet Loc - LED - 13W	3000K	75	940	60,000 Hours	Yes[2]
8801	04: LED - 6W	3000K	>80	790	50,000 Hours	Yes[1]	02: Wet Loc - LED - 16W	3000K	65	998	60,000 Hours	Yes[2]
8801L18	04: LED - 8W	3000K	>80	1060	50,000 Hours	Yes[1]	02: Wet Loc - LED - 16W	3000K	65	998	60,000 Hours	Yes[2]

SPECIFICATIONS SUBJECT TO CHANGE - PLEASE CONFIRM BEFORE PLACING ORDER

New Lamping Codes:
04: LED (Dry location)
02: Wet Loc - LED (Wet Location)

Dimmable Notes:
[1] Dimmable with 0 - 10V dimming system
[2] Dimmable with standard phase dimming system

ULTRALIGHTS lighting with the human element

LED

	Dry Rated Integrated LED					
Model	Specs	Color Temp	CRI	Lumens	Average Rated Life (L70)	Dimm
8801L24	04: LED - 17W	3000K	>80	2240	50,000 Hours	Yes[1]
9012	04: LED - 6W	3000K	>80	790	50,000 Hours	Yes[1]
9130	04: LED - 6W	3000K	>80	790	50,000 Hours	Yes[1]
9130L18	04: LED - 8W	3000K	>80	1060	50,000 Hours	Yes[1]
9131	04: LED - 6W	3000K	>80	790	50,000 Hours	Yes[1]
9131L18	04: LED - 8W	3000K	>80	1060	50,000 Hours	Yes[1]
9133	04: LED - 8W	3000K	>80	1060	50,000 Hours	Yes[1]
9133L10	04: LED - 6W	3000K	>80	790	50,000 Hours	Yes[1]
9133L18	04: LED - 8W	3000K	>80	1060	50,000 Hours	Yes[1]
9133L24	04: LED - 17W	3000K	>80	2240	50,000 Hours	Yes[1]
9133 Post	N/A	N/A	N/A	N/A	N/A	N/A
9135	04: LED - 8W	3000K	>80	1060	50,000 Hours	Yes[1]
9135L10	04: LED - 6W	3000K	>80	790	50,000 Hours	Yes[1]
9135L18	04: LED - 8W	3000K	>80	1060	50,000 Hours	Yes[1]
9135L24	04: LED - 17W	3000K	>80	2240	50,000 Hours	Yes[1]
9236	04: LED - 8W	3000K	>80	1060	50,000 Hours	Yes[1]
9236L10	04: LED - 6W	3000K	>80	790	50,000 Hours	Yes[1]
9236L18	04: LED - 8W	3000K	>80	1060	50,000 Hours	Yes[1]
9236L24	04: LED - 17W	3000K	>80	2240	50,000 Hours	Yes[1]
9260	04: LED - 6W	3000K	>80	790	50,000 Hours	Yes[1]
9260L18	04: LED - 8W	3000K	>80	1060	50,000 Hours	Yes[1]
9263	04: LED - 6W	3000K	>80	790	50,000 Hours	Yes[1]
9267	04: LED - 8W	3000K	>80	1060	50,000 Hours	Yes[1]
9268	04: LED - 6W	3000K	>80	790	50,000 Hours	Yes[1]
9271	04: LED - 8W	3000K	>80	1060	50,000 Hours	Yes[1]
9272	04: LED - 6W	3000K	>80	790	50,000 Hours	Yes[1]
9317	04: LED - 8W	3000K	>80	1060	50,000 Hours	Yes[1]
9317L12	04: LED - 6W	3000K	>80	790	50,000 Hours	Yes[1]
9317L24	04: LED - 17W	3000K	>80	2240	50,000 Hours	Yes[1]
9317 Pendant	04: LED - 12W	3000K	>80	1580	50,000 Hours	Yes[1]
9318	04: LED - 8W	3000K	>80	1060	50,000 Hours	Yes[1]
9318L12	04: LED - 6W	3000K	>80	790	50,000 Hours	Yes[1]
9318L24	04: LED - 17W	3000K	>80	2240	50,000 Hours	Yes[1]
9318 Pendant	04: LED - 12W	3000K	>80	1580	50,000 Hours	Yes[1]
9319	04: LED - 6W	3000K	>80	790	50,000 Hours	Yes[1]
9320	04: LED - 6W	3000K	>80	790	50,000 Hours	Yes[1]
9321	04: LED - 6W	3000K	>80	790	50,000 Hours	Yes[1]
9707	04: LED - 8W	3000K	>80	1060	50,000 Hours	Yes[1]
9707L12	04: LED - 6W	3000K	>80	790	50,000 Hours	Yes[1]
9707 Pendant	04: LED - 16W	3000K	>80	2120	50,000 Hours	Yes[1]
9712	04: LED - 6W	3000K	>80	790	50,000 Hours	Yes[1]
9817	04: LED - 17W	3000K	>80	2240	50,000 Hours	Yes[1]
9818	04: LED - 17W	3000K	>80	2240	50,000 Hours	Yes[1]
9924-24	04: LED - 30W	3000K	>80	3950	50,000 Hours	Yes[1]

Wet Rated Integrated LED					
Specs	Color Temp	CRI	Lumens	Average Rated Life (L70)	Dimm
02: Wet Loc - LED - 16W	3000K	65	998	60,000 Hours	Yes[2]
02: Wet Loc - LED - 11.5W	3000K	72	729	60,000 Hours	Yes[2]
02: Wet Loc - LED - 13W	3000K	75	940	60,000 Hours	Yes[2]
02: Wet Loc - LED - 13W	3000K	75	940	60,000 Hours	Yes[2]
02: Wet Loc - LED - 13W	3000K	75	940	60,000 Hours	Yes[2]
02: Wet Loc - LED - 13W	3000K	75	940	60,000 Hours	Yes[2]
02: Wet Loc - LED - 13W	3000K	75	940	60,000 Hours	Yes[2]
02: Wet Loc - LED - 11.5W	3000K	72	729	60,000 Hours	Yes[2]
02: Wet Loc - LED - 13W	3000K	75	940	60,000 Hours	Yes[2]
02: Wet Loc - LED - 13W	3000K	75	940	60,000 Hours	Yes[2]
02: Wet Loc - LED - 26W	3000K	75	1880	60,000 Hours	Yes[2]
02: Wet Loc - LED - 13W	3000K	75	940	60,000 Hours	Yes[2]
02: Wet Loc - LED - 11.5W	3000K	72	729	60,000 Hours	Yes[2]
02: Wet Loc - LED - 13W	3000K	75	940	60,000 Hours	Yes[2]
02: Wet Loc - LED - 13W	3000K	75	940	60,000 Hours	Yes[2]
02: Wet Loc - LED - 13W	3000K	75	940	60,000 Hours	Yes[2]
02: Wet Loc - LED - 11.5W	3000K	72	729	60,000 Hours	Yes[2]
02: Wet Loc - LED - 13W	3000K	75	940	60,000 Hours	Yes[2]
02: Wet Loc - LED - 13W	3000K	75	940	60,000 Hours	Yes[2]
02: Wet Loc - LED - 11.5W	3000K	72	729	60,000 Hours	Yes[2]
02: Wet Loc - LED - 13W	3000K	75	940	60,000 Hours	Yes[2]
02: Wet Loc - LED - 11.5W	3000K	72	729	60,000 Hours	Yes[2]
02: Wet Loc - LED - 13W	3000K	75	940	60,000 Hours	Yes[2]
02: Wet Loc - LED - 11.5W	3000K	72	729	60,000 Hours	Yes[2]
02: Wet Loc - LED - 13W	3000K	75	940	60,000 Hours	Yes[2]
02: Wet Loc - LED - 11.5W	3000K	72	729	60,000 Hours	Yes[2]
02: Wet Loc - LED - 13W	3000K	75	940	60,000 Hours	Yes[2]
N/A	N/A	N/A	N/A	N/A	N/A
02: Wet Loc - LED - 13W	3000K	75	940	60,000 Hours	Yes[2]
02: Wet Loc - LED - 11.5W	3000K	72	729	60,000 Hours	Yes[2]
02: Wet Loc - LED - 13W	3000K	75	940	60,000 Hours	Yes[2]
N/A	N/A	N/A	N/A	N/A	N/A
02: Wet Loc - LED - 11.5W	3000K	72	729	60,000 Hours	Yes[2]
02: Wet Loc - LED - 11.5W	3000K	72	729	60,000 Hours	Yes[2]
02: Wet Loc - LED - 11.5W	3000K	72	729	60,000 Hours	Yes[2]
02: Wet Loc - LED - 13W	3000K	75	940	60,000 Hours	Yes[2]
02: Wet Loc - LED - 11.5W	3000K	72	729	60,000 Hours	Yes[2]
N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A

SPECIFICATIONS SUBJECT TO CHANGE - PLEASE CONFIRM BEFORE PLACING ORDER

New Lamping Codes:
04: LED (Dry location)
02: Wet Loc - LED (Wet Location)

Dimmable Notes:
[1] Dimmable with 0 - 10V dimming system
[2] Dimmable with standard phase dimming system

ULTRALIGHTS lighting with the human element LED

	Dry Rated Integrated LED						Wet Rated Integrated LED					
Model	Specs	Color Temp	CRI	Lumens	Average Rated Life (L70)	Dimm	Specs	Color Temp	CRI	Lumens	Average Rated Life (L70)	Dimm
9924-30	04: LED - 30W	3000K	>80	3950	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
9924-36	04: LED - 48W	3000K	>80	6360	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
9924-48	04: LED - 48W	3000K	>80	6360	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
9925-24	04: LED - 30W	3000K	>80	3950	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
9925-30	04: LED - 30W	3000K	>80	3950	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
9925-36	04: LED - 48W	3000K	>80	6360	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
9925-48	04: LED - 48W	3000K	>80	6360	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
10180	04: LED - 6W	3000K	>80	790	50,000 Hours	Yes[1]	02: Wet Loc - LED - 11.5W	3000K	72	729	60,000 Hours	Yes[2]
10181	04: LED - 8W	3000K	>80	1060	50,000 Hours	Yes[1]	02: Wet Loc - LED - 13W	3000K	75	940	60,000 Hours	Yes[2]
10183	04: LED - 17W	3000K	>80	2240	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
10184	04: LED - 17W	3000K	>80	2240	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
10187	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10189	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10191	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10192	04: LED - 17W	3000K	>80	2240	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
11193	04: LED - 17W	3000K	>80	2240	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
11194	04: LED - 17W	3000K	>80	2240	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
11194 NP	04: LED - 17W	3000K	>80	2240	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
11195	04: LED - 17W	3000K	>80	2240	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
11195 NP	04: LED - 17W	3000K	>80	2240	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
11196L16	04: LED - 8W	3000K	>80	1060	50,000 Hours	Yes[1]	02: Wet Loc - LED - 13W	3000K	75	940	60,000 Hours	Yes[2]
11196L20	04: LED - 8W	3000K	>80	1060	50,000 Hours	Yes[1]	02: Wet Loc - LED - 13W	3000K	75	940	60,000 Hours	Yes[2]
11197L16	04: LED - 8W	3000K	>80	1060	50,000 Hours	Yes[1]	02: Wet Loc - LED - 13W	3000K	75	940	60,000 Hours	Yes[2]
11197L20	04: LED - 8W	3000K	>80	1060	50,000 Hours	Yes[1]	02: Wet Loc - LED - 13W	3000K	75	940	60,000 Hours	Yes[2]
11201-18	04: LED - 12W	3000K	>80	1580	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
11201-24	04: LED - 30W	3000K	>80	3950	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
11201-36	04: LED - 48W	3000K	>80	6360	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
11202-24	04: LED - 30W	3000K	>80	3950	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
11202-30	04: LED - 30W	3000K	>80	3950	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
11202-36	04: LED - 48W	3000K	>80	6360	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
11202-48	04: LED - 48W	3000K	>80	6360	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
11203-24	04: LED - 30W	3000K	>80	3950	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
11203-30	04: LED - 30W	3000K	>80	3950	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
11203-36	04: LED - 48W	3000K	>80	6360	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
11203-48	04: LED - 48W	3000K	>80	6360	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
11204-24	04: LED - 30W	3000K	>80	3950	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
11204-30	04: LED - 30W	3000K	>80	3950	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
11204-36	04: LED - 48W	3000K	>80	6360	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
11204-48	04: LED - 48W	3000K	>80	6360	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
11205-24	04: LED - 30W	3000K	>80	3950	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
11205-30	04: LED - 30W	3000K	>80	3950	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
11205-36	04: LED - 48W	3000K	>80	6360	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
11205-48	04: LED - 48W	3000K	>80	6360	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
11206-16	04: LED - 12W	3000K	>80	1580	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A

SPECIFICATIONS SUBJECT TO CHANGE - PLEASE CONFIRM BEFORE PLACING ORDER

New Lamping Codes:
04: LED (Dry location)
02: Wet Loc - LED (Wet Location)

Dimmable Notes:
[1] Dimmable with 0 - 10V dimming system
[2] Dimmable with standard phase dimming system

ULTRALIGHTS lighting with the human element LED

	Dry Rated Integrated LED						Wet Rated Integrated LED					
Model	Specs	Color Temp	CRI	Lumens	Average Rated Life (L70)	Dimm	Specs	Color Temp	CRI	Lumens	Average Rated Life (L70)	Dimm
11206-24	04: LED - 30W	3000K	>80	3950	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
11206-36	04: LED - 48W	3000K	>80	6360	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
11207	04: LED - 34W	3000K	>80	4480	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
11209-16	04: LED - 12W	3000K	>80	1580	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
11209-24	04: LED - 30W	3000K	>80	3950	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
11210	04: LED - 34W	3000K	>80	4480	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
11211-16	04: LED - 12W	3000K	>80	1580	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
11211-24	04: LED - 30W	3000K	>80	3950	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
11211-36	04: LED - 48W	3000K	>80	6360	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
11212	04: LED - 11.5W	3000K	72	729	60,000 Hours	Yes[2]	N/A	N/A	N/A	N/A	N/A	N/A
11213	04: LED - 13W	3000K	75	940	60,000 Hours	Yes[2]	N/A	N/A	N/A	N/A	N/A	N/A
11214	N/A	N/A	N/A	N/A	N/A	N/A	02: Wet Loc - LED - 11.5W	3000K	72	729	60,000 Hours	Yes[2]
11215	N/A	N/A	N/A	N/A	N/A	N/A	02: Wet Loc - LED - 13W	3000K	75	940	60,000 Hours	Yes[2]
11216	04: LED - 12W	3000K	>80	1580	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
11217	04: LED - 10W	3000K	>80	1210	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
11218-16	04: LED - 8W	3000K	>80	1060	50,000 Hours	Yes[1]	02: Wet Loc - LED - 13W	3000K	75	940	60,000 Hours	Yes[2]
11218-24	04: LED - 17W	3000K	>80	2240	50,000 Hours	Yes[1]	02: Wet Loc - LED - 13W	3000K	75	940	60,000 Hours	Yes[2]
11219	04: LED - 17W	3000K	>80	2240	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
11220	04: LED - 17W	3000K	>80	2240	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
13221-24	04: LED - 30W	3000K	>80	3950	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
13221-30	04: LED - 30W	3000K	>80	3950	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
13221-48	04: LED - 48W	3000K	>80	6360	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
13222-24	04: LED - 30W	3000K	>80	3950	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
13222-30	04: LED - 30W	3000K	>80	3950	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
13222-48	04: LED - 48W	3000K	>80	6360	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
13223-24	04: LED - 30W	3000K	>80	3950	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
13223-30	04: LED - 30W	3000K	>80	3950	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
13223-48	04: LED - 48W	3000K	>80	6360	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
13224-24	04: LED - 30W	3000K	>80	3950	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
13224-30	04: LED - 30W	3000K	>80	3950	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
13224-48	04: LED - 48W	3000K	>80	6360	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
13225-24	04: LED - 30W	3000K	>80	3950	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
13225-30	04: LED - 30W	3000K	>80	3950	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
13225-48	04: LED - 48W	3000K	>80	6360	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
13226-24	04: LED - 30W	3000K	>80	3950	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
13226-30	04: LED - 30W	3000K	>80	3950	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
13226-48	04: LED - 48W	3000K	>80	6360	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
13227-24	04: LED - 30W	3000K	>80	3950	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
13227-30	04: LED - 30W	3000K	>80	3950	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
13227-48	04: LED - 48W	3000K	>80	6360	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
13228-24	04: LED - 30W	3000K	>80	3950	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
13228-30	04: LED - 30W	3000K	>80	3950	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
13228-48	04: LED - 48W	3000K	>80	6360	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
14300	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

SPECIFICATIONS SUBJECT TO CHANGE - PLEASE CONFIRM BEFORE PLACING ORDER

New Lamping Codes:
04: LED (Dry location)
02: Wet Loc - LED (Wet Location)

Dimmable Notes:
[1] Dimmable with 0 - 10V dimming system
[2] Dimmable with standard phase dimming system

ULTRALIGHTS
lighting with the human element

LED

	Dry Rated Integrated LED						Wet Rated Integrated LED					
Model	Specs	Color Temp	CRI	Lumens	Average Rated Life (L70)	Dimm	Specs	Color Temp	CRI	Lumens	Average Rated Life (L70)	Dimm
14301	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
14302	04: LED - 16W	3000K	>80	2120	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
14303	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
14304	04: LED - 34W	3000K	>80	4480	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
14305	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
14306	04: LED - 16W	3000K	>80	2120	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
14307	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
14308	04: LED - 30W	3000K	>80	3950	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
14309	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
14310	04: LED - 30W	3000K	>80	3950	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
14311	04: LED - 6W	3000K	>80	790	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
14312	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
14313	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
14314	04: LED - 34W	3000K	>80	4480	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
14315	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
14316	04: LED - 24W	3000K	>80	3160	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
14317	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
14318	04: LED - 24W	3000K	>80	3160	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
14319	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
14320	04: LED - 32W	3000K	>80	4240	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A
14321	04: LED - 6W	3000K	>80	790	50,000 Hours	Yes[1]	N/A	N/A	N/A	N/A	N/A	N/A